

Cumulative Index 1990

Volume 6

<i>February</i>	UROLOGIC CARE IN THE ELDERLY, pages 1-227
<i>May</i>	CLINICAL PHARMACOLOGY, pages 229-457
<i>August</i>	PERIOPERATIVE CARE OF THE OLDER PATIENT, pages 459-691
<i>November</i>	DIABETES MELLITUS IN THE ELDERLY, pages 693-991

Note: Page numbers of issue and article titles appear in **boldface** type.

- Abdomen, examination of, in urinary dysfunction, 34
- Abdominal aortic aneurysm, repair of, renal failure in, 562
- Abdominal surgery, **589-607**
and sexual dysfunction, 192
functional residual capacity following, 677
postoperative complications of, 589-590
timing of, 589
- Abdominal wall, hernia of, surgery for, 601
reconstruction of, plastic surgery for, 646, 648
- Absorption, of drugs, in perioperative patient, 543-544
- Acetohexamide, for diabetes mellitus, initial doses of, 912
properties of, 905-906
- Acetophenazine, for dementia, review of literature on, 414
- Acid-base disorders, in surgical patient, 563-564
- Activities of daily living, limitations in, age-specific rates for, 3
- Acute abdomen, atypical/nonspecific presentation of, 726
- Acute ischemic optic neuropathy, 665
- Acute renal failure. *See Renal failure, acute.*
- Acute tubular necrosis, perioperative risk of, 564
postoperative, 566
- Adhesions, small bowel, surgery for, 599
- Adrenergic agents, and urinary retention, 61
- Adrenergic function, changes in, in healthy elderly, 287
in hypertensive elderly, 288
- Adrenergic sensitivity, alterations in, 272
- Adverse drug reaction, definition of, 295
- Affective disorders, in diabetics, 731-746
- Age profile, in United States population, 3-4
- Aging. *See also Elderly.*
and female sexuality, 198
and glucose intolerance, 850-853
effect on health, 860
cardiac physiology and, 511-512
cognitive changes with, 732-733
of United States population, and health care financing, 959
- Agitation, postoperative, 544-546
psychopharmacologic management of, 546-549
- Airway, in surgical patient, evaluation for anesthesia, 499-500
- Akathisia, with neuroleptics, 412
- Alcohol-related problem, with drug ingestion, definition of, 295
- Alcohol use, and sexual dysfunction, 192
- Alcohol withdrawal syndrome, perioperative, 548
- Aldose reductase inhibitors, for diabetes-related impotence, 787
- Alfentanil, with local anesthesia, 87
- Allopurinol, for renal calculus disease, 127
- Alpha-adrenergic blockade, for benign prostatic hypertrophy, 73-75

- Alpha-blockers, postsynaptic, for hypertension, 339
- Alternate drugs, 423-444
- Ambulatory surgery, preoperative evaluation for, 494-495
 - procedural considerations in, 495-497
- American Society of Anesthesiologists Physical Status Scale, 471
- Aminoglutethimide, for benign prostatic hyperplasia, 625
- Amitriptyline, for perioperative depression, 551
- Ammonia trapping, in renal tubular acidosis, 21-22
- Amputation, in diabetics, for bone infection, 760-761
 - home management following, 955
- Amputees, rehabilitation of, 680-681
- Analgesics, 345-364
 - adjuvant, 357-359
 - narcotic, 350-357
 - nonnarcotic, 349-350
- Anatomy, in surgical patient, evaluation for anesthesia, 499-502
- Androgen, action of, in human prostate, mechanism of, 626
 - blockade of, for metastatic prostate cancer, 150
 - deprivation of, for benign prostatic hyperplasia (hypertrophy), 75-77, 625
- Anesthesia, 499-510
 - altered sensitivity to, 278, 503-504
 - in ambulatory surgery, 496
 - in cardiovascular disease patient, 516-517
 - inhaled, 503
 - local, surgery using, 85-99, 504
 - risk of, evaluation of, 504-505
 - in surgery, 463
 - technique of, in geriatric patient, 506-507
- Angina, in surgical patient, 517
- Angiotensin converting enzyme inhibitors, altered sensitivity to, 276
 - for hypertension, 341, 430
 - in prevention of diabetic nephropathy, 820
- Antidiuretic drugs, for hypertension, 338-339
- Antiarrhythmics, 435-437
- Antibiotics, for bone infections, in diabetes mellitus, 760
 - in renal calculus disease, 126
- Anticholinergic effects, with neuroleptics, 548
- Anticholinergics, and urinary retention, 61
 - for bladder hyperreflexia, 62
 - for bladder instability, 63
 - for bronchodilation, 426-427
 - for urinary incontinence, 64
- Anticoagulation, altered response to, 279-280
 - problems with, in surgical patient, 539-540
- Anticonvulsants, 358
- Antidepressants, 399-410
 - and electrocardiogram, 407
 - cyclic, selection of, 402-405
 - side effect profile of, 404-405
 - disposition of, altered, 402
 - perioperative use of, 550
 - prior response to, history of, 402
 - types of, 402
- Antiemetics, altered sensitivity to, 278-279
- Antihypertensives, and diabetes-related
 - impotence, 778-779
 - and sexual dysfunction, 190
 - therapy with, 335-344
 - alternate drugs for, 429-431
 - annual cost of, 430
 - investigation of, in quality-of-life assessment, 315
- Antimicrobial therapy, for foot infections, in diabetics, 754-755
- Antipsychotics, 411-422
- Anxiety, diabetes-related, 879
 - perioperative, differential diagnosis of, 552
 - psychopharmacologic management of, 551-553
 - sedatives for, 359
- Aortic insufficiency, in surgical patient, 519-520
- Aortic stenosis, in high-risk elderly, alternatives to surgery for, 488
 - in surgical patient, 519
 - perioperative risk of, 515
- Appendix, surgery on, 601-602
- ARF. See *Renal failure, acute*.
- Arrhythmia, perioperative, 523-525
 - with oculocardiac reflex, 660
- Arthroplasty, for femoral neck fractures, 573, 577
 - hip, total, for osteoarthritis, 577-579
- Atheroembolic disease, renal failure in, 562
- Athletes, glucose tolerance in, 851-852, 855
- Atrioventricular node function, impaired, in surgical patient, 523-524
- Austin-Moore prosthesis, for femoral neck fracture, 576
- Autonomic nervous system, age-prevalent disease of, 725
 - functional changes in, in healthy elderly, 287
 - in hypertensive elderly, 288
 - in normal micturition, 56
 - physiologic and homeostatic mechanisms in, 271-273
- Autonomic neuropathy, in diabetics, home management of, 954
- Azotemia, in acute renal failure, 25
 - in surgical illness, 561

- Bacitracin, for pseudomembranous colitis, 429
- Bacteriuria, and urolithiasis, 119
 definition of, 44
 in elderly, treatment of, 48
 in urinary dysfunction, 35
 in urinary tract infection, 44-45
- Balanitis, erosive, 206
- Barbiturates, surgical use of, in cardiovascular disease patient, 516
- Baroreceptor function, alterations in, 272-273
- Basal cell carcinoma, removal of, 638-639
- Behavior, with depression, in diabetics, 738
- Behavior modification, alternative drugs for, 432-433
- Benign prostatic hyperplasia (hypertrophy), and urinary tract infection, 46-47
 etiology of, 70-71
 histologic prevalence of, 611
 in high-risk elderly, alternatives to surgery for, 483, 487-488
 incidence of, 69-70
 indication for surgery, 73
 management of, 69-84
 pathology of, 71
 pathophysiology of, 71
 physical examination in, 72
 symptoms of, 71-72
 treatment of, 73-80
 indications for, 615-616
 nonoperative, 621-626
 pharmacologic therapy, 73-77, 624-626
 alpha-adrenergic blockade, 73-75
 androgen deprivation, 75-77
 surgical, 616-621
 preoperative management of, 617
 technique selection in, 617-618
- Benzodiazepines, altered sensitivity to, 277-278
 alternatives to, 434-435
 for perioperative anxiety, 552-553
 surgical use of, in cardiovascular disease patient, 516
- Beta-adrenergic antagonists, pharmacokinetics of, 288
- Beta₂-agonists, for bronchodilation, 426
- Beta-blockers, altered sensitivity to, 274-275
 for hypertension, 337-338
- Bicarbonate absorption, in renal tubular acidosis, 21
- Biguanides, for diabetes mellitus, 699-700
- Biliary stone disease, in high-risk elderly, alternatives to surgery for, 481-486
- Biliary tract surgery, 593-595
 renal failure in, 562
- Biochemical parameters, in elderly, 328
- Biopsy instrument, for prostate biopsy, 138-139
- Bisexuality, in older women, 200-201
- Black race, in non-insulin-dependent diabetes mellitus, role in nephropathy, 819
- Bladder, cancer of. *See Bladder cancer.*
 hyperreflexia of, bladder outlet obstruction vs, 62
 instability of, bladder outlet obstruction vs, 62
 tumors of, small, resection of, local anesthesia for, 92-93
- Bladder cancer, classification of, systems of, 175
 in geriatric patients, 173-184
 chemotherapy for, intravesical, 180
 systemic, 179-180
 cystectomy for, radical, 174-176
 segmental, 176-177
 transurethral, 176-177
 photodynamic therapy of, 179
 radiation therapy of, alternatives in, 178-179
 external beam, 177-178
- Bladder outlet obstruction, following transurethral resection of prostate, 81
- Bleeding, and ocular risk, in eye surgery, 662
- Blepharoplasty, in elderly, 656
- Blindness, in diabetics, 829, 833
- Blood pressure, and proliferative diabetic retinopathy, 835
 control of, in prevention of diabetic nephropathy, 819-820
- Blood urea nitrogen, increased, in acute renal failure, 560
 with altered glomerular filtration rate, 17
- Bone infections, of foot, in diabetics, 756-761
- Bone pain, in prostate cancer, treatment of, 155
- Bone scanning, for prostate cancer staging, 143
- Bowen's disease, 216-217
- Brain damage, with drug-induced hypoglycemia, 938
- Breast, reconstructive surgery of, 652-655
 breast reduction, 653-654
 tissue expanders for, 655
- Breast cancer, plastic surgery for, 647
 primary, in high-risk elderly, alternatives to surgery for, 483, 489
- Bronchodilators, alternative, 425-428
 combinations of, 427
 ease of administration of, 427
 quality of life with, 428
- Bulbocavernosal electromyography, in diabetes-related erectile dysfunction, 782
- Bupivacaine, for local anesthesia, 88
- Buserelin, for benign prostatic hyperplasia, 625

- Bupirone, for behavior modification, 433
 Butorphanol, 352
- Cachexia, neuropathic, in diabetics, 697
- Calcium, in diabetics, 887-888
 tubular reabsorption of, defective, 22-23
- Calcium antagonists, altered sensitivity to, 275-276
 pharmacokinetics of, 288-289
- Calcium channel blockers, for hypertension, 340
- Calf stimulation, electrical, thromboembolism prophylaxis with, 536
- Candidiasis, urologic, 207
- Carbohydrate, dietary, in diabetics, 892
- Carcinoma, basal cell, removal of, 638-639
 squamous cell, of head and neck, plastic surgery for, 642
- Cardiac activity, postoperative, effect on discharge, 677
- Cardiac function, changes in, with aging and hypertension, 286
- Cardiac pacemaker, indications for, in surgical patient, 524
- Cardiac physiology, and aging, 511-512
- Cardiac risk, assessment of, 512-516
- Cardiovascular disease, in diabetics, 714-715, 908, 927, 935-936
 in high-risk elderly, alternatives to surgery for, 483, 488
 noncardiac surgery in, 511-529
- Cardiovascular drugs, altered pharmacodynamics and pharmacokinetics of, 285-292
 altered sensitivity to, 274-276
- Cardiovascular effects, of sulfonylureas, 908
- Cardiovascular system, age-prevalent disease of, 725
 age-related physiologic changes in, 723
 pharmacodynamics of, relation to pharmacokinetics in aging, 288-289
 structural changes in, with aging and hypertension, 286-287
- Cataracts, in diabetics, 831
 removal of, anesthetic problems in, 507-508
 risk with, 662
- Catheter, condom, for urinary incontinence, 64, 110
 indwelling, for urinary incontinence, 110-111
- Central nervous system, age-prevalent disease of, 725
 age-related physiologic changes in, 723
 altered drug response of, 276-279
 response to antidepressants, 401
- Cephalexin, for foot infections, in diabetics, 754
- Cerebrovascular accidents, in diabetics, 937
 urinary dysfunction following, 57-60
 urologic effects and management of, 55-68
- Chemical dissolution, for biliary stone disease, in high-risk elderly, 484-485
- Chemotherapy, for hormone-resistant metastatic prostate cancer, combined, 152-153
 cytotoxic, 150
 single-agent, 151
- Chest wall, reconstruction of, plastic surgery for, 646
- Chlorpromazine, for dementia, review of literature on, 414
- Chlorpropamide, for older diabetics, 914-915
 initial doses of, 912
 properties of, 905-906
- Cholangitis, surgery for, 594-595
- Cholecystitis, acute, surgery for, 593-594
- Cholecystojejunostomy, for pancreatic carcinoma, 598
- Cholecystostomy, for seriously ill patient, 594
- Cholestatic jaundice, with sulfonylureas, 907
- Cholestyramine, for pseudomembranous colitis, 429
- Cholinergic sensitivity, alterations in, 272
- Chorioretinitis, with AIDS, 665
- Chromium, in diabetics, 698, 886
- Chronic disease, in elderly United States population, prevalence of, 704
- Cimetidine, pharmacokinetics of, clinical example of, 264
- Clamps, for urinary incontinence, 110
- Clean intermittent self-catheterization. *See Intermittent self-catheterization.*
- Clearance, drug, definition of, 257-258
- Clindamycin, for foot infections, in diabetics, 754
- Clinical pharmacology, geriatric, 229-234
- Clonidine, and sexual dysfunction, 190
 for hypertension, 338
- Clotrimazole, for diabetic foot lesions, 763
- Codeine, 352
- Cognitive changes, with aging, 732-733
- Cognitive disorders, in elderly diabetics, 727, 731-746, 868, 878-879
- Coitus, in older women, frequency of, 199-200
- Colitis, pseudomembranous, drug-induced, 428-429
- Colon volvulus, in high-risk elderly, alternatives to surgery for, 482, 486
 surgery for, 602-603
- Coma, with drug-induced hypoglycemia, 938
- Combination therapy, for hypertension, 341
- Compliance, definition of, 445-446

- in elderly, 445-452
 - assessment of, 448
 - prescribing for, 450-451
 - problem with, dealing with, 448-449
 - improved therapeutic methods in, 449-450
 - magnitude of, 446-448
- Complications, in surgical treatment, decision-making in, 477-478
 - prevention of, 476-477
- Computed tomography, for prostate cancer staging, 141
- Concentrating mechanism, defective, with impaired tubular function, 24-25
- Condom catheter, for urinary incontinence, 64, 110
- Conduction abnormalities, in surgical patient, 523-525
- Congestive heart failure, atypical/nonspecific presentation of, 726
 - in surgical patient, 521-522
- Conjunctivitis, with uveitis, 665
- Consciousness, alterations of, in diabetic hyperosmolar state, 801
- Constipation, postoperative, effect on discharge, 678
- Copper, serum, in diabetics, 886-887
- Coronary artery disease, and sexual dysfunction, 188
- Coronary artery revascularization, history of, in surgical patient, 518
- Corpus cavernosus electromyography, in diabetes-related erectile dysfunction, 782
- Cortisol, altered sensitivity to, 280
- Cosmetic surgery, for elderly, 655-656
- Cough, and ocular risk, in eye surgery, 662
- Creatine clearance, decrease in, with altered glomerular filtration rate, 15
- Creatinine, clearance rate of, calculation of, 558
 - increased, in acute renal failure, 560
 - with altered glomerular filtration rate, 16-17
 - reabsorption of, with urinary tract replacement, 18
- Cyclic antidepressants, selection of, 402-405
- Cyproterone acetate, for benign prostatic hyperplasia, 625
- Cystectomy, for bladder cancer, in geriatric patients, 174-177
 - alternatives to, 181
- Cystometry, in urinary dysfunction, 36-37
- Cystoscopy, for urinary tract dysfunction, 39, 111
 - local anesthesia for, 91-92
- Cystourethroscopy, in prostate evaluation, 614-615
- Cytotoxic chemotherapy, for metastatic prostate cancer, 150
- Dakin's solution, for diabetic foot lesions, 762
- Dark field examination, for syphilis, 208-209
- Death, premature, in diabetics, 714-716
 - with drug-induced hypoglycemia, 938
- Decision-making, in surgical intervention, ethical, 461
 - initial, 460-461
 - medical, 462
 - with complications, 477-478
- Decubitus ulcers, in diabetics, home care of, 949-951
- Deep vein thrombosis, etiology of, 531-532
 - in hip surgery, 580
 - postoperative, risk of, 533
 - prophylaxis for, in surgical patient, 531-542
 - modalities of, 533-536
 - risk factor assessment in, 532-533
- Dehydration, and diabetic hyperosmolar state, 798-799
- Delirium, etiologic categories of, 545
 - in hip surgery, 581
 - laboratory evaluation of, 546
 - postoperative, 544-546
 - therapeutic drugs associated with, 547
- Dementia, behavioral and psychotic symptoms of, 413
 - laboratory evaluation of, 546
 - neuroleptics for, adverse effects of, 416-417
 - guidelines for, 419-420
 - review of literature on, 413-418
 - postoperative, 544-546
 - preneuroleptic evaluation of, 419
 - psychosocial therapies for, 420-421
 - treatable causes of, 727
- Demographic changes, financial implications of, 1-12
- Dental caries, disabilities related to, 331
- Depression, atypical/nonspecific presentation of, 726
 - characteristics of, 399-400
 - in cardiovascular disease, treatment of, 407
 - in dementia, treatment of, 408
 - in diabetics, 738-741
 - perioperative, psychopharmacologic management of, 549-551
 - pretreatment evaluation of, 406
 - primary, etiology of, 400
 - psychotic, 408
 - secondary, drug-induced, 401
 - illness-induced, 402
 - treatment-resistant, 408
- Dermatitis, erosive, Paget's disease vs, 218
- urologic, 206-207
- Dermatologic disorders, in diabetics, 698
- Dermatologic effects, of sulfonylureas, 907

- Dermatology, urologic, 205-219
- DES, for metastatic prostate cancer, 149
- Desipramine, side effects with, 404
- Desmopressin, for urinary incontinence, 64
- Detrusor dysfunction, following cerebrovascular accidents, 58-59
- Dextran 40/70, thromboembolism prophylaxis with, 535
- Diabetes mellitus, and sexual dysfunction, 189
- disabilities related to, 331
- in eye surgery, 663
- non-insulin-dependent, adequate test for, 842
- age-specific incidence of, 708
- as great masquerader, 724-728
- atypical presentation of, 721-729
- characteristics of, 710
- clinical type of, definition of, 810-811
- cognitive and affective disorders in, 731-746
- complications of, 714-715, 933
- home management of, 953-955
- hospital utilization with, 964-965
- data flow sheet for, for office chart, 876-877
- definition of, 841
- depression with, 738-741
- development of, age-related factors in, 856-857
- economic impact of, 959-970
- epidemiology of, 703-719
- functional problems with, 875-880
- health care utilization in, 960-966
- hospital costs of, 962-965
- impact on society, 841-842
- in nursing home patients, 700
- laboratory use associated with, 967-968
- management of, 699-700
- medical care for, 709-714
- by office-based physician, 710-712
- hospitalization for, 712-713
- type of therapy for, 709
- mortality from, 716-718
- nephropathy in, risk factors for, 818-819
- nutritional factors in, 698-699
- ocular problems in, 827-837
- pathophysiology of, 923-924
- pharmacy use associated with, 967-968
- physician visits associated with, 711-712, 966-968
- physiologic and psychosocial effects of, 733
- prevalence and incidence of, 703-709
- progression of, 843-844
- psychological factors in, 696-697
- renal complications in, 807-825
- screening for, 839-848
- consequences of, 845-846
- criteria for, 839-840
- special syndromes in, 697-698
- sulfonylurea agents for, 911
- therapy for, 844-845
- choice of, 926-928
- rationale for, 924-926
- reasons for, 695-696
- undiagnosed, estimated prevalence of, 707-709
- unique aspects of, 693-702
- Diabetes Quality-of-Life Measure, 869, 874
- Diabetic hyperosmolar state, 797-806
- clinical presentation of, 801-802
- epidemiology of, 799-801
- laboratory tests for, 802
- management of, 802-803
- mortality in, 803-804
- pathophysiology of, 798-799
- prevention of, 804-805
- prognosis in, 803-804
- Diabetic nephropathy, clinical and public health impact of, 807-808
- increased prevalence of, with poor glycemic control, 935
- pathology of, 811-818
- prevention of, 819-821
- risk factors for, 818-819
- Diabetic neuropathy, increased prevalence of, with poor glycemic control, 935
- Diabetic patients, agency referral of, 951-952
- dietary management in, 883-901
- expenditures for, 965
- functional status measurement in, 865-882
- glycemic control in, 933-941
- home assessment of, 868-875
- home care of, 943-957
- insulin treatment in, 923-931
- male sexual response in, 772-773
- nutritional status in, 883-901
- sulfonylureas for, 903-921
- insulin with, 915-917
- treatment goals for, 917
- Diabetic retinopathy, 828-829
- incidence of, 834-835
- increased prevalence of, with poor glycemic control, 935
- severity of, 830
- Diagnostic testing, effect on surgical outcome, 462
- Diet, for diabetes mellitus, 709, 844, 883-901, 926
- optimal, 892-895
- in renal calculus disease, 127
- Diet-related diseases, management and prevention of, 330-331
- Dietitian, in home health care team, 944
- Diflusal, 385-386
- Digoxin, altered sensitivity to, 276

- and impotence, 188
- Diltiazem, for hypertension, 340
- Dilutinal hyponatremia, with transurethral resection of prostate, 619
- Discharge assessment form, 671
- Discharge planning, for surgical patient, 669-683
 - assessment of needs, 675
 - communication of, 676-677
 - definition of, 669
 - discharge criteria for, 673
 - financial coverage, 675-676
 - goals of, 669
 - initiation of, 671
 - legal aspects of, 670
 - medical/nursing needs in, 670
 - need for, 670-671
 - organization of, 670
 - patient/family involvement in, 671-672
 - practical aspects of, 673-677
 - return appointments, 676
 - timing of discharge, 673
- Discharge summary form, 674
- Disease, age-prevalent, 722, 725
 - atypical/nonspecific presentation of, 722-724, 726
 - normal aging vs, 722
- Distribution, of drugs, in perioperative patient, 543
 - volume of, definition of, 258
- Disulfiram-like reaction, with sulfonyleureas, 907
- Diuretics, altered sensitivity to, 276
 - and diabetes-related impotence, 778-779
 - for hypertension, 336-337
 - investigation of, in quality-of-life assessment, 313-314
- Diverticular disease, surgery for, 602
- Dopamine, altered sensitivity to, 279
- Dopamine antagonists, altered sensitivity to, 279
- Driving, functional problems with, in elderly diabetics, 877
- Drug(s), absorption of, 258-259
 - adverse reactions to, 293-307
 - avoidance of, 302-304
 - definitions of, 293-296
 - drugs most frequently involved in, 302
 - frequency of, 296-297
 - operational assessment of, 295-296
 - patient reporting of, 300-301
 - reasons for, 297-301
 - alternate, 423-444
 - clearance of, definition of, 257-258
 - concentration of, measurement of, 270
 - distribution of, 259
 - elimination half-life of, definition of, 258
 - ideal, characteristics of, 423-425
 - interactions of, evaluation of, 303
 - investigation of, in quality-of-life assessment, 312-315
 - metabolism of, 260-261
 - renal excretion of, 261-262
 - sensitivity to, alterations in, 274-280
 - testing of, and adverse drug reactions, 298-299
 - therapeutic concentration range of, 263
 - toxicity of, causes of, 301
 - volume of distribution of, definition of, 258
- Drug treatment, and quality of life, in elderly, 309-317
 - compliance with, in elderly, 445-452
 - outcome objects in, 450-451
- Drug trials, clinical, 235-255
 - age effect in, 246
 - data analysis in, 247-249
 - design of, 242-244
 - dose in, 246
 - duration of, 244-245
 - endpoints in, 246-247
 - evaluation of, 249-250
 - future of, 236-237
 - goals in, 242-243
 - patient parameters in, 240-242
 - pharmacologic data in, 245-246
 - placebo use in, 244
 - quality checkpoints for, 238
 - randomized, problems with, 237
 - risk/benefit ratio in, 239-240
 - safety of, 239-242
 - trial drug for, 245-246
 - types of, 243-244
- Drug use, information needed in, 236
 - multiple, and adverse drug reactions, 301
- Duodenum, surgery on, 590-593
- Dyspareunia, in older women, 200
- Ears, age-prevalent disease of, 725
 - age-related physiologic changes in, 724
- Economic impact, of diabetes mellitus, 877-878, 959-970
- Ejaculation, changes in, with aging, 186-187
 - in diabetics, 772-773
- Elastic stockings, gradient, thromboembolism prophylaxis with, 536-537
- Elderly, altered pharmacodynamics in, 269-283
 - altered pharmacokinetics in, 257-267
 - analgesics in, 345-364
 - antihypertensive therapy in, 335-344
 - bladder cancer in, 173-184
 - cardiovascular drugs for, altered pharmacodynamics and pharmacokinetics in, 285-292
 - clinical drug trials in, 235-255. See also *Drug trials*.

Elderly (*Continued*)

- clinical research in, 229
- compliance in, 445-452
- definition of, 841
- depression in, characteristics of, 399-400
- diabetes in, non-insulin-dependent, 693-970
- drug use in, 233
- energy requirements of, 322-324
- health status of, 6-7
- height-weight tables for, 327
- history in, physical examination vs, 463
- hypertensive, cardiovascular changes in, 288
- impaired nutrition in, factors associated with, 884
- impotence in, diabetes-related, 771-795
- nutritional requirements of, 322-324
- nutritional status in, assessment of, 323-326
- physiologic and homeostatic mechanisms in, 271-274
- sexual dysfunction in, females, 197-203
- males, 185-196
- urologic dermatology in, 205-219
- Electrocardiogram, antidepressants and, 407
- Electroconvulsive therapy, for perioperative depression, 551
- Electrolyte(s), disorders of, in surgical patient, prevention and management of, 564-567
 - perioperative management of, 557-569
- Electrolyte balance, in eye surgery, 663
- postoperative support of, 566-567
- Electromyography, in urinary dysfunction, 38
- Elimination half-life, definition of, 258
- Emotional function, limitations of, in elderly diabetics, 867-868, 873
- End-organ abnormalities, and diabetes-related impotence, 776-777
- End-stage renal disease, diabetic nephropathy and, 807-808, 810
- Endocrine abnormalities, and diabetes-related impotence, 777-778
- Endocrine system, age-prevalent disease of, 725
 - age-related physiologic changes in, 723, 773
- Endoscopic sphincterotomy, for biliary stone disease, in high-risk elderly, 484
- Endoscopy, local anesthesia for, 91-94
- percutaneous, for urolithiasis, 123-125
- Endouroldynamics, in urinary dysfunction, 39-40
- Endourologic management, of lower urinary tract dysfunction, 109-113
- Enzyme sensitivity, alterations in, 273-274
- Epidermoid carcinoma, of penis, 215
- Erectile dysfunction, diabetes-related, diagnostic testing in, 780-784
 - physiologic causes of, 772
- Ethnic origin, in United States population, 4
- Excitation, sexual, in male diabetics, 772-773
- Exercise, aerobic, effect on glucose tolerance, 857-860
 - effect on insulin sensitivity, 857-860
- for diabetics, 699, 845
- Extrapyramidal effects, with neuroleptics, 412, 548
- Extremities, plastic surgery of, 645-652
- Eye(s), age-prevalent disease of, 725
 - age-related physiologic changes in, 724
 - diabetes-related problems in, 827-837
- Eye disease, systemic illness and, 665-666
- Eye drops, systemic absorption of, 664
- Eye patients, medical problems in, 663-666
- Eye surgery, in elderly, 659-667
 - mortality in, 660
 - risk assessment in, 659-663
 - medical risks, 659-662
 - ocular risks, 662-663
- Facelift, in elderly, 656
- Fat, dietary, in diabetics, 892-893
- Femoral neck fracture, pathogenesis of, 572
 - surgical procedures for, 572-574
- Fentanyl, with local anesthesia, 87
- Fiber, dietary, in diabetics, 893
- Fitness, management of, 331
- Flap, skin, definition of, 635-636
- Fluid balance, in eye surgery, 663
 - perioperative management of, 557-569
 - postoperative support of, 566-567
- Fluid intake, increased, for urolithiasis, 122
- Fluid therapy, for diabetic hyperosmolar state, 802-803
- Fluoroscopic management, of lower urinary tract dysfunction, 111-112
- Flutamide, for benign prostatic hyperplasia, 625
 - for benign prostatic hypertrophy, 76
- Folate, in diabetics, 890
- Follow-up, in surgical patient, 466
- Foot, home care of, for diabetics, 949
 - education in, 764-765
- infections of, in diabetics, 747-769
 - approach to, algorithm for, 759
 - bacterial isolates from, 752-753
 - bone, 756-761
 - diagnosis of, 756-760
 - pathophysiology of, 756
 - treatment of, 760-761
 - clinical presentation of, 751-752
 - culture of, specimen collection for, 750-751
 - etiologic agents of, 750-751
 - treatment of, 753-756

- antimicrobial therapy, 754-755
- surgical treatment, 755-756
- lesions of, in diabetics, debridement of nonviable tissue in, 761-762
- dressings for, 763-764
- edema in, treatment of, 764
- epidemiology of, 747-748
- footwear for, 764
- local care of, 761-764
- pathophysiology of, 748-750
- topical regimens for, 763
- soft tissue reconstruction of, 652
- Forehead, basal cell carcinoma of, removal of, 639
- Free flap, definition of, 636
- Free water, clearance of, formula for, 24-25
- loss of, and diabetic hyperosmolar state, 798-799
- Fructosamine assay, in assessment of diabetic control, 694-695
- Full bladder syndrome, and hypertension, in eye surgery, 664
- Functional limitations, in diabetics, 865-882
 - clinical implications of, 866-868
 - common problems with, 875-880
 - identification of, 868-875
 - risk of, 866
- Gallbladder, carcinoma of, surgery for, 595
- Gastric cancer, surgery for, 592
- Gastric surgery, syndromes after, 592
- Gastric volvulus, surgery for, 592-593
- Gastroenterostomy, for pancreatic carcinoma, 598
- Gastrointestinal effects, of sulfonylureas, 907
- Gastrointestinal toxicity, with nonsteroidal anti-inflammatory drugs, 436
- Gastrointestinal tract, age-prevalent disease of, 725
 - age-related physiologic changes in, 723
- Gastroparesis, in diabetics, home management of, 954
- Gastrostomy, feeding, 592
- General surgery, thromboembolism prophylaxis in, 539
- Genital area, dermatitis in, erosive, 206
- Genitourinary tract, age-prevalent disease of, 725
 - dysfunction in, in elderly, assessment of, 31-41
 - function of, evaluation of, 32-39
 - cystometry, 36-37
 - electromyography, 38
 - endourodynamics, 39-40
 - flexible cystoscopy, 39
 - history, 32-34
 - laboratory studies, 35
 - physical examination, 34-35
 - urethral profilometry, 37-38
 - urodynamics, 35-36
 - uroflowmetry, 36
 - videourodynamics, 38-39
 - hemispheric specialization of, 65
- Gentamicin, pharmacokinetics of, 264-265
- Geographic distribution, in United States population, 4-5
- Geriatric. See also *Elderly*.
- Geriatric clinical pharmacology, 229-234
- Geriatric nutrition, 319-334
- Geriatrician, perioperative responsibilities of, 459-467
- Glaucoma, in diabetics, 832
- Glenohumeral joint, painful limitation of, in diabetics, 697
- Glipizide, for diabetes mellitus, initial doses of, 912
 - properties of, 905-906
- Glomerular filtration rate, changes with aging, 15-18, 557-558
- Glomerulosclerosis, and diabetic nephropathy, 811-812
 - hemodynamic factors in, 19
- Glucose, metabolic clearance rate of, 856
- Glucose control, in non-insulin-dependent diabetes mellitus, 933-941
 - prevention of complications by, 925
 - self-regulatory efforts at, and memory performance, 740
 - with depression, 739-741
- Glucose intolerance, age-related, effect of physical activity on, 849-863
- and aging, 850-853
- effect on health, 860
- estimated prevalence of, 707-709
- Glucose tolerance test, oral, effect of physical training on, 858-859
- for non-insulin-dependent diabetes mellitus, 842-843
- Glyburide, for diabetes mellitus, initial doses of, 912
 - properties of, 905-906
- Glycemic control, in elderly diabetics, 933-941
- Glycosylated hemoglobin, in assessment of diabetic control, 694-695, 843
- Goldman index, of cardiac reserve, 465
- Grief responses, in elderly diabetics, 879
- Groin, draining sinus of, plastic surgery for, 649
- Guanethidine, and sexual dysfunction, 191
- Gynecologic surgery, thromboembolism prophylaxis in, 538-539
- Haloperidol, for dementia, review of literature on, 414-415
 - for postoperative agitation, 546

- Head and neck, plastic surgery in, 637-645
- Health care, for diabetics, cost of, 961-968
in United States, costs of, 1980-2040, 10
financing of, 959
utilization of, 7-8
- Height-weight tables, 327
- Hematologic system, age-prevalent disease
of, 725
parameters of, 328
- Hematuria, as indication for prostatectomy,
616
history of, 34
in urolithiasis, 120
- Hemiplegia, results of, left, 66
right, 65
- Hemoglobin, glycosylated, in assessment of
diabetic control, 694-695, 843
- Hemorrhage, with radical prostatectomy,
144
- Heparin, thromboembolism prophylaxis
with, 533-534
- Hepatic metabolism, of drugs, in periopera-
tive patient, 544
- Hernia, small bowel, surgery for, 599
- Herpes simplex, 209-210
- Hip, fracture of, nonoperative treatment of,
575-576
pathogenesis of, 571-572
preoperative patient status in, effect on
rehabilitation, 583
prospective payment for, impact of,
583-584
prosthesis for, loosening of, 578
surgery on, 571-587
anesthetic problems in, 508
perioperative complications in, 580-582
preoperative evaluation for, 579-580
rehabilitation in, 582-583
- Home health aide, in home health care
team, 944
- Home (health) care, definition of, 944
for diabetics, 943-957
aspects of care provided, 948-953
physician role in, 945-948
selection of agency for, 947-948
team approach to, 944-948
for postoperative patient, 681
- Home intravenous antibiotic therapy, of in-
fections, in diabetics, 952-953
- Homemaker, in home health care team, 944
- Homeostatic mechanisms, alterations in, 273
- Homosexuality, in older women, 200-201
- Hormone status, and urinary tract infection,
46
in diabetes-related erectile dysfunction,
780
- Hormone therapy, with chemotherapy, for
hormone-resistant metastatic prostate
cancer, 153
- Hospital care, age-specific rates for, 3
for diabetics, cost of, 962-965
- House calls, physician, for diabetics, 946
- Hunger, causes of, 330
indices of, 332
- Hydrocelectomy, local anesthesia for, 96-97
- Hydrogen ion excretion, changes with aging,
559-560
- Hydromorphone, 351-352
for postoperative agitation, 547
- Hydrourteronephrosis, bilateral, as indica-
tion for prostatectomy, 616
- Hydroxyprogesterone caproate, for benign
prostatic hyperplasia, 625
- Hypercalciuria, systemic conditions in, 116
- Hyperglycemia, and diabetic complications,
937-938
chronic, and responses to bacterial infec-
tion, 748
complications of, 695
of aging, pathogenesis of, 693-694
- Hyperinsulinemia, with insulin therapy, for
non-insulin-dependent diabetes melli-
tus, 927
- Hyperkalemia, in surgical patient, 563
- Hyperlipidemia, in diabetics, 699
- Hypernatremia, in surgical patient, 562-563
- Hyperosmolar state, diabetic, 797-806
- Hyperparathyroidism, primary, and urolithi-
asis, 117
in high-risk elderly, alternatives to sur-
gery for, 483, 489
- Hypertension, and proliferative diabetic ret-
inopathy, 835
and sexual dysfunction, 189-190
disabilities related to, 331
in eye surgery, 664
ocular risk with, 662-663
in non-insulin-dependent diabetes melli-
tus, control of, 934
role in nephropathy, 818
in renal artery stenosis, 15
in surgical patient, 525-526
pathophysiology of, 335-336
treatment of, quality of life in, 314
- Hyperthyroidism, atypical/nonspecific pres-
entation of, 726
- Hypertrophic obstructive cardiomyopathy,
in surgical patient, 520
- Hyperuricosuria, and urolithiasis, 118
- Hypnotics, alternatives to, 434-435
- Hypoglycemia, drug-induced, adverse con-
sequences of, 938
with insulin therapy, 927
with sulfonylureas, 909-910
- Hypoglycemics, oral, alternate drugs for,
431-432
cost of, 432
for non-insulin-dependent diabetes
mellitus, 699, 709, 845
- Hypokalemia, in surgical patient, 563

- Hyponatremia, dilutional, with transurethral resection of prostate, 619
in surgical patient, 562-563
- Hypothermia, in diabetics, 698
- Hypothyroidism, atypical/nonspecific presentation of, 726
- Hypovolemia, in diabetic hyperosmolar state, 801
- Ibuprofen, 387-388
- Ideal drug, characteristics of, 423-425
- Illness, acute, effect on surgical outcome, 462
- Immobilization, and urolithiasis, 117
- Impotence, diabetes-related, 771-795
end-organ abnormalities and, 777
endocrine abnormalities and, 777-778
evaluation of, 779-780
mechanism of, 775
medications and, 778-779
neurogenic abnormalities and, 776-777
organic factors in, 775
treatment of, 784-790
 medical, 785-788
 surgical, 788-789
vascular abnormalities and, 775-776
external vacuum tumescence devices for, 194
following transurethral resection of prostate, 81
medical causes of, 188-190
nonhormonal pharmacologic therapy for, 193-194
penile prosthesis for, 194, 789
vasoactive intracavernous pharmacotherapy for, 194
with radical prostatectomy, 145
- Incontinence. *See Urinary incontinence.*
- Induction agents, anesthetic, in geriatric patients, 502-503
- Indwelling catheter, for urinary incontinence, 110-111
- Infection(s), and ocular risk, in eye surgery, 663
in diabetics, 698
and diabetic hyperosmolar state, 799-800
and foot ulcers, 749
home care of, 952-953
urologic, 206-212
and urolithiasis, 118-119
culture of, 208
direct examination of, 207-208
- Infective endocarditis, prophylaxis for, in surgical patient, 522
- Information processing, in diabetics, 736
- Infrapubic incision, for bilateral orchiectomy, 95
- Inguinal blockade, with local anesthesia, 90-91
- Inguinal sinus, draining, plastic surgery for, 649
- Insulin, action of, age-associated changes in, 853-856
 animal studies of, 853-854
 human studies of, 854-856
altered sensitivity to, 280
for diabetic hyperosmolar state, 802-803
for non-insulin-dependent diabetes mellitus, 700, 709, 923-931
sulfonylureas vs, 926-928
sulfonylureas with, 904, 915-917, 928
secretion of, age-associated changes in, 853-856
 animal studies of, 853-854
 human studies of, 854-856
sensitivity to, effect of exercise on, 857-860
- Intercostal mononeuropathy, in diabetics, 697
- Intermittent self-catheterization, 101-107
catheters for, 103
care of, 104
handling of, 106
for urinary incontinence, 64
history of, 102
patient evaluation in, 102-103
patient instruction in, 103-106
philosophy of, 102
schedule for, 104-105
supplies for, 105
- Intertrochanteric fractures, surgical procedures for, 574-575
- Intraabdominal abscess, in high-risk elderly, alternatives to surgery for, 482, 486
- Intracavernous pharmacotherapy, vasoactive, for impotence, 194
- Intraoperative management, in geriatric patients, 506
- Intraoperative technique, in surgical treatment, 473-474
- Inulin, reabsorption of, with urinary tract replacement, 18
- Iron, in diabetics, 887
- Ischemia, and foot ulcers, in diabetics, 749
- Ischemic heart disease, in surgical patient, 517-519
- Isolation, social, in elderly diabetics, 879
- Isoxuprine hydrochloride, for diabetes-related impotence, 786-787
- Jaundice, cholestatic, with sulfonylureas, 907
- Jewett nail, for femoral neck fracture, 572-574

- Job performance, functional problems with, in diabetics, 877
- Kaposi's sarcoma, 217
- Kegel's exercises, for stress incontinence, 63
- Ketanserin, for benign prostatic hypertrophy, 75
- Kidney(s). See also under *Renal*.
aging, pathophysiology of, 13-30
pharmacodynamics in, 27-29
physiologic changes in, 723
blood flow in, alterations in, 14-15
concentrating mechanism of, defective, 24-25
failure of, in non-insulin-dependent diabetes mellitus, 816-818
functional changes in, in non-insulin-dependent diabetes mellitus, 727
response to surgery, 560
- Kidney stones. See *Urolithiasis*.
- Knee prosthesis, plastic surgery with, 650
- Knowles pinning, for femoral neck fracture, 572-573
- Large intestine, surgery on, 602-603
- Large vessel disease, in diabetics, 937
- Learning, in non-insulin-dependent diabetes mellitus, 736
- Leg, open fracture of, plastic surgery for, 651
pain in, in diabetics, 878
- Lens implantation, risk with, 662
- Leuprolide acetate, for benign prostatic hyperplasia, 625
- Levorphanol, 352
- LHRH agonists, for metastatic prostate cancer, 149
- LHRH analogues, for benign prostatic hyperplasia, 625
- Libido, in aging women, 198
in male diabetics, 772-773
- Lichen planus, urologic, 212
- Lichen sclerosus et atrophicus, urologic, 213-215
- Lidocaine, for local anesthesia, 87-88
- Life expectancy, in United States, 1-2
1990-2050, 3
- Lip, plastic surgery of, for basal cell carcinoma, 638, 640
for granular cell myoblastoma, tissue expansion for, 641
for squamous cell carcinoma, 643
- Lipid status, in diabetics, 884-885
- Lithotripsy, for biliary stone disease, in high-risk elderly, 485-486
for urolithiasis, 122-125
mechanism of, 125
patient selection for, 126
- Living arrangements, of United States population, 5-6
- Local anesthesia, 85-99
agents for, 87-88
for bilateral orchiectomy, 94-96
for hydrocelectomy, 96-97
for open surgical procedures, 94-98
for penile prostheses, 97-98
for spermatocelectomy, 97-98
intraoperative sedation with, 86
nerve blocks with, 88-91
preparations and medications for, 86-88
transurethral injection of, sites for, 95
- Lorazepam, for postoperative agitation, 546
- Lower extremity, amputation of, in diabetics, 698
- Lower urinary tract dysfunction, endourologic management of, 109-113
- Loxapine, for dementia, review of literature on, 415
- Luteinizing hormone-releasing hormone, for diabetes-related impotence, 786
- Macular edema, in diabetics, 829-830
- Magnesium, decreased, in diabetics, 698-699, 887
- Magnetic resonance imaging, for prostate cancer staging, 141-142
of diabetic foot osteomyelitis, 758
- Male sexual response, in diabetics, 772-773
- normal age-related changes in, 773-774
- Malignancy, atypical/nonspecific presentation of, 726
- Malnutrition, causes of, 330
clinical signs of, 329
indices of, 332
risk factors for, 333
- Manganese, serum, in diabetics, 887
- Marcaine, for local anesthesia, 88
- Marital status, of United States population, 5
- Mastectomy, reconstructive surgery following, 652, 654
- Masturbation, in older women, 200-201
- Mediastinitis, following cardiac surgery, plastic surgery for, 645
- Medical intervention, goals of, 459
- Medication, and diabetes-related impotence, 778-779
- Medication error, definition of, 296
- Mege-trol acetate, for benign prostatic hyperplasia, 625
- Memory, changes with aging, 732-733
in diabetics, 734-737
- Men, elderly, sexual dysfunction in, 185-196

- drug-induced, 190-192
 - in diabetics, 772-773
 - in hypertension, 189-190
- Mentation, altered, in diabetics, 727
- Meperidine, 352
- Mesenteric ischemia, surgery for, 599-601
- Metabolic assessment, in diabetes-related erectile dysfunction, 780
- Metabolism, age-prevalent disease of, 725
 - alterations in, 273-274
 - age-related, 723
- Metastatic cancer, of prostate, 148-150. See also *Prostate cancer*.
- Methyldopa, and sexual dysfunction, 190
 - for hypertension, 338
- Metronidazole, for pseudomembranous colitis, 429
- Microalbuminuria, in diabetics, 812-813
- Micronutrients, in diabetics, 893-894
- Micturition, normal, 56-57
- Midazolam, with local anesthesia, 86
- Minerals, in diabetics, 885-888, 894
- Mitral regurgitation, in surgical patient, 520
- Mitral stenosis, in surgical patient, 520
- Monitoring, preoperative, 472-473
- Monoamine oxidase inhibitors, and sexual dysfunction, 191
 - for depression, 406
 - perioperative, 551
- Mood disorders, in elderly diabetics, 727
- Morphine, 351
- Mucosal bleeding, diffuse, surgery for, 592
- Muscle relaxants, in geriatric patients, 503-504
 - surgical use of, in cardiovascular disease patient, 516
- Muscle weakness, in diabetics, 697
- Musculoskeletal system, age-prevalent disease of, 725
 - age-related physiologic changes in, 723
- Myoinositol supplementation, for diabetes-related impotence, 787
- Myocardial infarction, atypical/nonspecific presentation of, 726
 - following hip surgery, 582
 - in diabetics, 908, 927, 935, 937
 - perioperative risk of, 514
 - postoperative, effect on discharge, 679
 - recent history of, in surgical patient, 518
 - with drug-induced hypoglycemia, 938
- Nafarelin, for benign prostatic hyperplasia, 625
- Nalbuphine, 352
- Naproxen, disposition of, 368
- Narcotic(s), administration of, 353-354
 - altered sensitivity to, 278-279
 - analgesia with, 350-357
 - in geriatric patients, 504
 - physical dependence on, 355-356
 - prescribing of, guidelines for, 356-357
 - psychologic dependence on, 355-356
 - side effects of, 355
 - tolerance to, 355-356
- Narcotic agonists, 351-352
 - equianalgesic doses of, 353
- Narcotic agonists-antagonists, 352-353
- Neck, desmoid tumor of, removal of, plastic surgery following, 643, 645
- Neoplasms, colonic, surgery for, 603
- Nephron(s), filtration rate in, reduction in, effects of, 20
 - heterogeneity of, 20
 - reduction in, adaptation to, 18-21
 - underperfusion of, 15
- Nephrostomy tract, creation of, for upper urinary tract transitional cell carcinoma, 165
- Nephrotoxicity, with nonsteroidal anti-inflammatory drugs, 435
- Nerve damage, with radical prostatectomy, 144-145
- Neurogenic abnormalities, and diabetes-related impotence, 776-777
- Neurogenic bladder, following cerebrovascular accidents, 58
- Neuroleptics, 358-359
 - alternatives to, 433
 - anticholinergic effects of, 412
 - cardiovascular effects of, 412
 - concomitant medication with, 420
 - dosage and administration of, 419-420
 - follow-up and length of treatment with, 420
 - for dementia, adverse effects of, 416-417
 - guidelines for, 419-420
 - review of literature on, 413-418
 - for postoperative agitation, 546
 - for psychosis, 412
 - indications for, 419
 - side effects of, 412
 - management of, 420
- Neurologic impairment, in diabetics, home management of, 954
 - with drug-induced hypoglycemia, 938
- Neuropathic ulcers, plastic surgery for, 652
- Neuropathy, following hip surgery, 582
 - in diabetics, and foot ulcers, 748
 - home management of, 954
- Neurophysiologic evaluation, in diabetes-related erectile dysfunction, 781-782
- Neurosurgery, thromboembolism in, prophylaxis for, 538
- Neurotransmitters, of drugs, in perioperative patient, 544
- Neurourologic examination, in urinary dysfunction, 34-35

- Nipple reconstruction, following mastectomy, 654
- Nitrazepam, effect on mental acuity, 278
- Nitrendipine, for hypertension, 340
- Nitroglycerine, for diabetes-related impotence, 786
- Nocturia, history of, 33
in benign prostatic hypertrophy, 72
- Noncompliance, intentional, definition of, 296
- Nonnarcotic analgesics, 349-350
- Nonprescription drugs, and sexual dysfunction, 192
- Nonsteroidal anti-inflammatory drugs, 365-397
absorption of, 366-367
alternatives to, 436-437
clearance of, 369
disposition of, stereoselective, 370-371
distribution of, 366-368
drug interactions with, 375-380
effects on absorption, 375-376
effects on distribution, 376-377
effects on excretion, 378-379
effects on metabolism, 377-378
pharmacodynamic, 379-380
pharmacokinetic, 375-379
efficacy of, 372
excretion of, 371
investigational, 389
metabolism of, 368-370
nonsalicylate, 386-389
pharmacodynamics of, 372-375
pharmacokinetics of, 366-372
protein binding of, 367
stereoisomers of, 370
toxicity of, 372-375
gastrointestinal, 372-374
renal, 374-375
unbound, pharmacokinetics of, 383
- Normal aging, disease vs, 722
- Nortriptyline, side effects of, 404
- Norwegian scabies, 211-213
- Nose, squamous cell carcinoma of, removal of, forehead flap for, 641
- Nurse, in home health care team, 944
- Nursing home care, for diabetics, cost of, 965-966
- Nursing home patients, age-specific rates for, 3
urinary incontinence in, projected costs of, 11
- Nutrition, geriatric, 319-334
- Nutritional deficiencies, biochemical signs of, 329
- Nutritional requirements, 322-324
calculation of, 326-329
changes in, variables determining, 325
- Nutritional status, and adverse drug reactions, 301
- assessment of, 323-326
in diabetics, 883-901
- Obesity, control of, in diabetics, 934
management and prevention of, 331
- Occupational therapist, in home health care team, 945
- Ocular problems, in diabetics, 827-837
- Oculocardiac reflex, arrhythmia with, 660
- Omental flap, for mediastinitis, 645
- Oncology, prostatic, 131-161
- Open surgical procedures, local anesthesia for, 94-98
- Operative mortality, in elderly, risk factors for, 472
- Ophthalmic treatment, complications related to, 663-664
- Opioids, for postoperative agitation, 547
- Optic neuropathy, ischemic, acute, arteriosclerosis and, 665
- Oral cavity, age-prevalent disease of, 725
tumors of, plastic surgery for, 642-643
- Oral glucose tolerance test, effect of physical training on, 858-859
for non-insulin-dependent diabetes mellitus, 842-843
- Orchiectomy, bilateral, local anesthesia for, 94-96
for metastatic prostate cancer, 149
- Organ systems, in anesthesia evaluation, 501-502
major, surgical risk to, 464-465
- Organic disorders, in male diabetics, and sexual dysfunction, 774-779
- Orgasm, in male diabetics, 772-773
- Orthopedic surgery, thromboembolism in, prophylaxis for, 536, 537
- Osmolar clearance, formula for, 24
- Osteoarthritis, hip surgery for, 576-579
- Osteomyelitis, of diabetic foot, culture of, 758
diagnostic tests for, 757
- Osteoporosis, disabilities related to, 331
- Oxalate, role in urolithiasis, 117, 128
- Oxycodone, 352
- Paget's disease, 216, 218
- Pain, acute vs chronic, 348-349
assessment of, 345
control of, nonpharmacologic methods of, 359-360
mechanisms of, 346-348
- Pancreas, surgery on, 595-598
for carcinoma, 597-598
- Pancreaticoduodenectomy, for pancreatic carcinoma, 597-598

- Pancreatitis, acute, early prognostic signs of, 596
mortality of, 596
surgery for, 595-597
- Papaverine, intracavernosal self-injection of, for diabetes-related impotence, 787-788
- Parkinsonism, atypical/nonspecific presentation of, 726
- Parotid gland tumor, removal of, facial nerve protection in, 642
- Patient parameters, in clinical drug trials, 240-242
- Patient-related risk, in surgery, 464
- Pelvic lymphadenectomy, for prostate cancer staging, 142
- Penile artery revascularization, for diabetes-related impotence, 788-789
- Penile biothesiometry, in diabetes-related erectile dysfunction, 781
- Penile erection, changes in, with aging, 186
physiology of, 772
- Penile nerve block, with local anesthesia, 89-90
- Penile prosthesis, for impotence, 194
diabetes-related, 789
for urinary incontinence management, 112
local anesthesia for, 97-98
- Penile tumescence, nocturnal, testing of, in diabetes-related erectile dysfunction, 780-781
- Penile vascular evaluation, in diabetes-related erectile dysfunction, 783-784
- Penile venous ligation, for diabetes-related impotence, 789
- Penis, carcinoma of, 215
dorsal nerve of, evaluation of, in diabetes-related erectile dysfunction, 781-782
- Pentazocine, 352
- Pentoxifylline, for diabetes-related impotence, 786
- Peptic ulcer, surgery on, 590-591
- Perinephric abscess, 50-51
- Perioperative arrhythmias, 523-525
- Perioperative drug therapy, 474-475
- Perioperative responsibilities, of physician/geriatrician, 459-467
of surgeon, 469-480
- Perioperative risk, in elderly, sources of, 460-466
- Peripheral nerves, normal age-related physiologic changes in, 723
- Peripheral neuropathy, with depression, in diabetics, 738
- Peripheral vascular disease, in diabetics, 714
in high-risk elderly, alternatives to surgery with, 488-489
in surgical patient, 526-527
- Personality change, in elderly diabetics, 727
- Pharmacist, in home health care team, 945
- Pharmacodynamics, alterations in, 269-283
in aging kidney, 27-29
in clinical drug trials, 245-246
- Pharmacokinetics, altered, 257-267
clinical applications of, 262-265
in clinical drug trials, 245
terminology in, 257-258
- Pharmacologic data, in clinical drug trials, 245
- Pharmacologic erection programs, for diabetes-related impotence, 787-788
- Pharmacologic therapy, for benign prostatic hypertrophy, 73-77
nonhormonal, for impotence, 193-194
- Pharmacology, clinical, geriatric, 229-234
in geriatric patients, in anesthesia evaluation, 502-504
- Pharmacotherapy, in perioperative patient, general principles of, 543-544
- Phenothiazines, and sexual dysfunction, 191
- Phenoxybenzamine, for benign prostatic hyperplasia, 625
- Phentolamine stimulation test, in benign prostatic hypertrophy, 75
- Phosphate, tubular reabsorption of, defective, 22-23
- Physical activity, effect on age-related glucose intolerance, 849-863
- Physical environment, assessment of, home health care in, 951-952
- Physical examination, geriatric history vs, 463
in urinary dysfunction, 34-35
- Physical function, in diabetics, evaluation of, 872
limitations of, 867
- Physical health, and antidepressant selection, 403-404
- Physical status, classification of, 471, 505
postoperative, effect on discharge, 679
- Physical therapist, in home health care team, 945
- Physician, in home health care team, 944
perioperative responsibilities of, 459-467
visits by, age-specific rates for, 3
- Physiologic charges, age-related, normal, 723-724
postoperative, effect on discharge, 677-678
- Piroxicam, 388-389
- Placebo, for dementia, effects of, 418
in clinical drug trials, 244
- Plantar ulcers, plastic surgery for, 653
- Plastic surgery, in elderly, 633-657
- Platelet inhibition therapy, in prevention of diabetic nephropathy, 821
- Pneumatic compression, external, thromboembolism prophylaxis with, 535-536
- Pneumonia, atypical/nonspecific presentation of, 726
following hip surgery, 582

- Polydipsia, in diabetes mellitus, 727
- Polymedicine, and adverse drug reactions, 301
- Polymyalgia rheumatica, atypical/nonspecific presentation of, 726
- Polyphagia, in diabetes mellitus, 727
- Polyuria, in diabetes mellitus, 724
- Population growth, in United States, 1900-2030, 2
- Postanesthetic care, in geriatric patient, 508
- Postoperative care, in surgical treatment, 474
- Postoperative problems, persistent, effect on discharge, 678-679
- Postural hypotension, in diabetes mellitus, home management of, 954
- Potassium, disorders of, in surgical patient, 563
- excretion of, changes with aging, 559-560
- Prazosin, for benign prostatic hypertrophy, 74
- Preoperative evaluation, for ambulatory surgery, 494-495
- in geriatric patients, 505-506
- Preoperative preparation, 471-473
- effect on surgical outcome, 462
- Prescribing practices, and adverse drug reactions, 299-300
- Pressure ulcers, in diabetics, home care of, 949-951
- in hip surgery, 580-581
- prevention of, 476
- Procedural considerations, in ambulatory surgery, 495-497
- Propranolol, sensitivity to, relationship to aging, in hyperthyroid patients, 275
- Prostaglandin E-1, intracavernosal self-injection of, for diabetes-related impotence, 788
- Prostate, anatomy of, 610
- balloon dilation of, 623
- benign hyperplasia (hypertrophy) of. See *Benign prostatic hyperplasia (hypertrophy)*.
- biopsy of, 614-615
- cancer of, 131-161. See also *Prostate cancer*.
- disease of, epidemiology of, 609-611
- electrosection of, for benign prostatic hyperplasia, 619
- growth of, 609-611
- hyperplasia of, benign. See *Benign prostatic hyperplasia (hypertrophy)*.
- hyperthermic treatment of, for benign prostatic hypertrophy, 80
- hypertrophy of, benign. See *Benign prostatic hyperplasia (hypertrophy)*.
- laboratory studies of, 613
- oncology of, 131-161. See also *Prostate cancer*.
- physical examination of, 613
- radiologic evaluation of, 613-614
- spiral prosthesis for, 624
- stenting of, for benign prostatic hypertrophy, 80
- surgery of, 609-631
- patient evaluation for, 611-615
- transurethral balloon dilatation of, for benign prostatic hypertrophy, 78-80
- transurethral incision of, for benign prostatic hyperplasia, 620
- transurethral resection of. See *Transurethral resection of prostate*.
- Prostate cancer, 131-161
- clinical presentation of, 134-135
- diagnosis of, 136-139
- biopsy, 137-139
- fine needle aspiration, 136-138
- in elderly, special problems in, 150, 154-155
- incidence of, 131-132
- localized, management of, 143-147
- radiation therapy, 145-148
- radical prostatectomy, 143-145
- surgical treatment of, 626-627
- metastatic, treatment of, 148-150
- natural history of, 132-134
- pathology of, 134
- radiation therapy for, 145-147
- staging of, 139-143
- bone scanning for, 143
- computed tomography for, 141
- digital rectal examination for, 139-140
- magnetic resonance imaging for, 141-142
- pelvic lymphadenectomy for, 142
- prostate specific antigen for, 142-143
- systems for, 136
- transrectal ultrasonography for, 140-141
- treatment of, patient's philosophy in, 154
- tumors in, progression of, 134-135
- Prostate specific antigen, for prostate cancer staging, 142-143
- Prostatectomy, for benign prostatic hyperplasia, 620-622
- indications for, 615
- radical, for prostate cancer, 144-145, 627
- Prostatic balloon dilatation, for urinary incontinence, 64
- Prostatic oncology, 131-161. See also *Prostate cancer*.
- Prostatism, differential diagnosis of, 612
- Prosthetic heart valve, in surgical patient, anticoagulation for, 521
- Protein, dietary, in diabetics, 893
- Protein binding, of drugs, in perioperative patient, 544
- Protein status, in diabetics, 884
- Proteinuria, in diabetics, 814-816

- Pseudomembranous colitis, drug-induced, alternative drugs for, 428-429
- Pseudoobstruction, colonic, surgery for, 603
- Psoriasis, 213-214
- Psychiatric considerations, perioperative, 543-556
- Psychiatric medications, and diabetes-related impotence, 778-779
- Psychological counseling, for diabetes-related impotence, 790
- in home health care, 945
- Psychological problems, in male diabetics, and sexual dysfunction, 774
- postoperative, effect on discharge, 678-679
- Psychotropics, alternatives to, 432
- Pulmonary edema, in surgical patient, 522
- Pulmonary embolism, atypical/nonspecific presentation of, 726
- in hip surgery, 580
- postoperative, effect on discharge, 679
- risk of, 533
- prophylaxis for, in surgical patient, 531-542
- modalities of, 533-536
- risk factor assessment in, 532-533
- Pulmonary function testing, postoperative, effect on discharge, 677
- Pyridoxine, in diabetics, 889-890
- Quality of life, definition of, 309
- drug treatment and, in elderly, 309-317
- in diabetes mellitus, 865-882
- measurement of, 310-312
- Race, in United States population, 4
- Radiation therapy, for prostate cancer, 145-148
- complications of, 147
- interstitial, 146
- Radionuclide imaging, of diabetic foot osteomyelitis, 758-759
- Rand Short-Form Health survey, for diabetics, 870-871
- Randomized clinical trial. *See Drug trials, clinical.*
- Reaction time, in diabetics, 735
- Recall, in diabetics, 736
- Receptor sensitivity, of drugs, in perioperative patient, 544
- Recognition, in diabetics, 736
- Rectal examination, digital, for prostate cancer staging, 139-140
- in urinary dysfunction, 34
- Rehabilitation, of postoperative patient, 679-681
- Renal. *See also Kidney(s).*
- Renal artery stenosis, 14-15
- Renal calculus disease, 115-129. *See also Urolithiasis.*
- Renal excretion, of drugs, in perioperative patient, 544
- Renal failure, acute, 25-27
- identifying mechanism of, 23-24
- in surgical illness, 560-562
- intraoperative management of, 565-566
- nonoliguric, 25
- treatment of, 26-27
- chronic, and sexual dysfunction, 193
- drug doses in, formulas for, 28-29
- Renal function, disorders of, in diabetics, 807-825
- clinical and public health impact of, 807-808
- incidence vs prevalence of, 809
- methodologic issues in, 808-810
- in surgical patient, prevention and management of, 564-567
- neurohumoral control of, 20
- perioperative management of, 557-569
- postoperative support of, 566-567
- preoperative evaluation of, 564-565
- with urinary tract replacement, 16-18
- Renal physiology, changes with aging, 557-560
- Renal tubular acidosis, 21-22
- and urolithiasis, 118
- Reproductive system, normal age-related physiologic changes in, 724
- Reserpine, for hypertension, 430
- Residual urine, increased, as indication for prostatectomy, 616
- with intermittent self-catheterization, 105-106
- Respiratory system, age-prevalent disease of, 725
- age-related physiologic changes in, 723
- Retinal artery occlusion, central, arteriosclerosis and, 665
- Retinal detachment surgery, risk with, 662
- Retinopathy, in diabetics. *See Diabetic retinopathy.*
- Retromolar trigone, squamous cell cancer of, mandibular splitting surgery for, 644
- Richards compression screw, for femoral neck fracture, 573, 575
- for intertrochanteric fracture, 578
- Risk, assessment of, in surgical decision-making, 470-471
- surgical, anesthesia-related, 463
- patient-related, 464-465
- procedure-related, 464
- Risk/benefit ratio, in clinical drug trials, 239-240
- Roentgenography, of diabetic foot osteomyelitis, 757

- Salicylates, 380-385
absorption of, 381-382
distribution of, 382
elimination of, 384-385
metabolism of, 382-384
- Saskatchewan Short Mental Status Questionnaire, 471
- Scabies, 210-212
- Scintigraphy, of diabetic foot osteomyelitis, 757-758
- Sedation, with neuroleptics, 412
- Sedatives, alternatives to, 434-435
in geriatric patients, 502-503
- Selenium, in diabetics, 887
- Self-catheterization, intermittent, 101-107.
See also *Intermittent self-catheterization*.
- Semantic memory, in elderly diabetics, 737
- Sensorcaine, for local anesthesia, 88
- Sensory system, normal age-related physiologic changes in, 724
- Sepsis, surgically related, prevention of, 476-477
- Sex ratio, in United States, 2-4
- Sex therapy, for diabetes-related impotence, 790
- Sexual activity, male, normal age-related changes in, 773-774
with hypertension drug treatment, 315
- Sexual dysfunction, in diabetics, 878
male, organic causes of, 774-779
psychogenic causes of, 774
in elderly men, 185-196
iatrogenic causes of, 192-193
medical causes of, 188-190
medication-induced, 190-192
treatment of, 193-195
with diabetes mellitus, 774-779, 878
in elderly women, 197-203
iatrogenic causes of, 201
illnesses causing, 200-201
medication-induced, 201
with diabetes mellitus, 878
- Sexual excitation, in male diabetics, 772-773
- Sexual function, age-related physiologic changes in, 186-188
- Shock, with transurethral resection of prostate, 619
- Sinus node function, impaired, in surgical patient, 523-524
- Skin, concerns with, in surgical patient, 500-501
home care of, for diabetics, 948-949
infections of, in foot, in diabetics, 750-756
lesions of, excision of, planning for, 637
normal age-related physiologic changes in, 724
- Skin flap, for wound closure, 635-636
- Skin graft, for wound closure, 635
- Skin tumor, local flap for, 637
- plastic surgery for, 636-639
- Small intestine, surgery on, 598-601
for obstruction, 598-599
- Smell, normal age-related physiologic changes in, 724
- Smoking cessation, for diabetes-related impotence, 786
- Social function, limitations of, in diabetics, 868, 879
- Sodium, homeostasis of, changes with aging, 559
tubular reabsorption of, defective, 23-24
- Soft tissue infections, of foot, in diabetics, 750-756
- Somatosensory-evoked potential testing, in diabetes-related erectile dysfunction, 781-782
- Speech/language therapist, in home health care team, 945
- Spermatic cord block, with local anesthesia, 88-89
- Spermatocectomy, local anesthesia for, 97-98
- Sphincterotomy, endoscopic, for biliary stone disease, in high-risk elderly, 484
- Spinal cord, normal age-related physiologic changes in, 723
- Splanchicectomy, for pancreatic carcinoma, 598
- Sternum, unstable, plastic surgery for, 646
- Steroids, 359
- Stomach, surgery on, 590-593
- Stress incontinence, urge incontinence vs, 63
- Stress ulcer, surgically related, prevention of, 477
- Stroke. See *Cerebrovascular accidents*.
- Sublimaze, with local anesthesia, 87
- Sulfonylurea agents, clinical use of, 910-917
for older diabetics, 699, 903-921
insulin with, 915-917, 928
selection of, 914-915
history of, 903-904
hypoglycemia with, 909-910
initial doses of, 912
mechanism of action of, 904-905
pharmacology of, 905
side effects of, 905-908
University Group Diabetes Program study of, 908
- Sulindac, 388
- Supraventricular arrhythmia, in surgical patient, 523
- Surgeon, perioperative responsibilities of, 469-480
- Surgery, choosing site of, 493-497
complications in, prevention of, 476-477
decision for, 470-471
importance of, relationship to physiologic age, 460

- in diabetics, for bone infections, 760
- for foot infections, 755-756
- in high-risk elderly, alternatives to, 481-492
- intraoperative technique in, 473-474
- open, local anesthesia for, 94-98
- perioperative drug therapy in, 474-475
- positioning in, in geriatric patients, 500-501
- postoperative care in, 474
- preoperative measures in, 471-473
- renal response to, 560
- risk of, considerations in, 464, 660
- Surgical illness, renal-electrolyte risks of, 560-564
- Surgical patient, discharge planning for, 669-683. See also *Discharge planning*.
- elderly, environmental and equipment needs of, 675
- in-home care of, postoperative, 679
- initial interview with, 469-470
- rehabilitation of, 669-683
- Sympathomimetics, for diabetes-related retrograde ejaculation, 787
- Syndrome of inappropriate antidiuretic hormone secretion, with sulfonylureas, 907
- Syphilis, 208-209

- Tardive dyskinesia, with neuroleptics, 412
- Taste, normal age-related physiologic changes in, 724
- Terazosin, for benign prostatic hypertrophy, 75
- Testosterone, decrease in, with aging, 186
- for diabetes-related impotence, 786
- Theophylline, for bronchodilation, 425-426
- Thermoregulation, alterations in, 273
- in diabetics, 698
- Thiamine, in diabetics, 889
- Thiazide diuretics, for hypertension, 336
- Thioridazine, for dementia, review of literature on, 415
- Thiothixine, for dementia, review of literature on, 415
- Thromboembolism, surgically related, prevention of, 477
- Thrombosis, deep vein, prophylaxis for, in surgical patient, 531-542. See also *Deep vein thrombosis*.
- Tissue flap, definition of, 635
- Tobacco use, and sexual dysfunction, 192
- Tolazamide, for diabetes mellitus, initial doses of, 912
- properties of, 905-906
- Tolbutamide, for older diabetics, 915
- initial doses of, 912
- properties of, 905-906
- Trace element status, in diabetics, 885

- Tranquilizers, and sexual dysfunction, 191
- Transient ischemic attacks, atypical/nonspecific presentation of, 726
- Transitional cell carcinoma, of upper urinary tract, 163-171. See also *Upper urinary tract*.
- Transrectal ultrasonography, for prostate cancer staging, 140-141
- Transurethral balloon dilatation of prostate, for benign prostatic hypertrophy, 78-80
- Transurethral resection of prostate, and sexual dysfunction, 192
- anesthesia for, local, 93, 94
- anesthetic problems in, 508
- evaluation for, 80-82
- for benign prostatic hyperplasia (hypertrophy), 77-78, 618-620
- indications for, 73
- surgical alternatives to, 77-80
- Treatment failure, drug, definition of, 296
- Tricyclic antidepressants, 357-358
- and sexual dysfunction, 191
- perioperative use of, 550
- Trifluoperazine, for dementia, review of literature on, 414
- Triglyceride levels, and cognitive function, in diabetics, 741-742
- Trunk, plastic surgery of, 645-652
- Tubular function, impaired, 21-25
- defective calcium reabsorption in, 22-23
- defective hydrogen ion secretion in, 21-22
- defective phosphate reabsorption in, 22-23
- defective sodium reabsorption in, 23-24
- Tubular injury, and acute renal failure, 25
- Tubular necrosis, acute. See *Acute tubular necrosis*.
- Tumor resection, percutaneous, for upper urinary tract transitional cell carcinoma, 165-167

- Ultrasonography, of diabetic foot osteomyelitis, 758
- United States population, age profile of, 3-4
- ethnic origin of, 4
- geographic distribution of, 4-5
- life expectancy of, 1-2
- living arrangements of, 5-6
- marital status of, 5
- population growth in, 1900-2030, 2
- racial characteristics of, 4
- sex ratio in, 2-4
- University Group Diabetes Program study, of sulfonylureas, 908, 927, 935
- Upper urinary tract, transitional cell carcinoma of, combination therapy for, 166

- Upper urinary tract (*Continued*)
conservative management of, 163-171
intravenous pyelogram of, 167
local tumor excision in, 163-164
percutaneous resection of, 164-167
follow-up of, 168
future goals in, 169-170
method of, 165-168
results in, 168-169
recurrences of, 168-169
supplemental therapy for, 167-168
- Urea, clearance of, decreased, with nephron reduction, 20
concentration of, increase in, with altered glomerular filtration rate, 16
reabsorption of, with urinary tract replacement, 18
- Ureteroscopy, for urolithiasis, 122-123
- Urethral block, local anesthesia for, 92
- Urethral dilatation, local anesthesia for, 91-92
- Urethral profilometry, in urinary dysfunction, 37-38
- Urethral stricture disease, following transurethral resection of prostate, 81
- Urethropexy, for stress incontinence, 63
- Urethrotomy, internal, local anesthesia for, 91-92
- Urinalysis, in urolithiasis, 121
- Urinary calculi, 115-129. See also *Urolithiasis*.
- Urinary dysfunction, effects of dominance on, 65-66
following cerebrovascular accidents, 57-60
in elderly, assessment of, 31-41
- Urinary flow, impaired, history of, 33-34
- Urinary frequency, following cerebrovascular accidents, 58
history of, 33
in benign prostatic hypertrophy, 72
- Urinary function, history of, 32-34
- Urinary incontinence, and urinary tract infection, 47
assistive devices for, 952
drug-induced, 61
economic impact of, 8-11
following cerebrovascular accidents, 58-60
evaluation of, 60-61
treatment of, 61-64
in men, 61-63
in women, 63-64
following transurethral resection of prostate, 81
history of, 33
in diabetics, 879
management of, implants in, 112-113
nonoperative, 64, 110-111
overflow, in benign prostatic hypertrophy, 72
prevalence of, 8
with radical prostatectomy, 145
- Urinary retention, as indication for prostatectomy, 616
drug-induced, 61
in hip surgery, 581
- Urinary tract, infection of. See *Urinary tract infection*.
lower, dysfunction of, endourologic management of, 109-113
upper. See *Upper urinary tract*.
- Urinary tract infection, 43-53
atypical/nonspecific presentation of, 726
definition of, 44
diagnosis of, 47-48
epidemiology of, 43-44
evaluation of, 48
in hip surgery, 581
incidence of, 43-44
management of, 48-50
microbiology of, 45
pathogenesis of, 46-47
perinephric abscess in, 50-51
postoperative, effect on discharge, 679
surgically related, prevention of, 477
symptoms of, 45
- Urination, postoperative, effect on discharge, 678
- Urine, alkalization of, for renal calculus disease, 127
- Urine volume, increase in, for renal calculus disease, 127
- Urodynamic parameters, 65
- Urodynamic testing, in prostate evaluation, 614
in urinary dysfunction, 35-39
in urinary incontinence, following cerebrovascular accidents, 61
- Uroflowmetry, in urinary dysfunction, 36
- Urography, intravenous, in urolithiasis, 121
- Urolithiasis, 115-129
diagnostic studies of, 120-121
etiology of, 115-119
evaluation of, routine chemistries for, 127
hypercalciuria in, 116
in high-risk elderly, alternatives to surgery for, 482-483, 486-487
inhibition of, 128
lithotripsy for, 122-125
medical management of, 126-128
percutaneous endoscopy for, 123-125
spontaneous stone passage in, 121
stone composition in, 116
symptoms of, 119-120
treatment of, 121-126
ureteroscopy for, 122-123
- Urologic dermatology, geriatric, 205-219
biopsy in, 217-219
- Urologic evaluation, diagnostic tests in, 32
- Urologic surgery, local anesthesia for, 85-99
thromboembolism in, prophylaxis for, 537-538

- Urosepsis, with intermittent self-catheterization, 106
- Uveitis, sarcoidosis and, 665
- Vacuum tumescence devices, external, for impotence, 194, 788
- Valvular heart disease, in surgical patient, 519-521
- Vancomycin, for pseudomembranous colitis, 428
- Vascular access, in surgical patient, 500
- Vascular function, abnormalities of, and diabetes-related impotence, 775-776
- changes in, with aging and hypertension, 286
- evaluation of, in diabetes-related erectile dysfunction, 783-784
- Vascular injury, and acute renal failure, 25
- Vasocongestion, reduced, with aging, 187
- Vasodilators, arteriolar, for hypertension, 339-340
- investigation of, in quality-of-life assessment, 314
- Ventricular arrhythmia, in surgical patient, 523
- Ventricular premature contractions, perioperative risk of, 515
- Verapamil, for hypertension, 340
- Verrucous carcinoma, 216
- Versed, with local anesthesia, 86
- Videourodynamics, in urinary dysfunction, 38-39
- Viral warts, 210
- Visual acuity, in diabetes, insulin use and, 833
- Visual impairment, in diabetes, 827-837, 875, 877
- agency referral for, 951
- implications of, 832-835
- incidence of, 832-835
- prevalence of, 827-832
- Visual perception, in diabetics, 735
- Visual sexual stimulation, testing of, in diabetes-related erectile dysfunction, 781
- Vitamin(s), in diabetics, 888-891
- recommended dietary allowances for, in elderly, 894
- Vocabulary level, in elderly diabetics, 737
- Volume of distribution, definition of, 258
- Volvulus, colon, surgery for, 602-603
- gastric, surgery for, 592-593
- Warfarin, thromboembolism prophylaxis with, 534-535
- Warts, viral, 210
- Water metabolism, disorders of, 562-563
- homeostasis of, changes with aging, 558-559
- Weight loss, in diabetics, 891-892
- Women, elderly, frequency of coitus in, 199-200
- sexual dysfunction in, 197-203
- structural changes in, 198
- hormonal changes in, 199
- normal aging in, 199
- Wound healing, impaired, and foot ulcers, in diabetics, 749
- Wound infection, in hip surgery, 582
- Xylocaine, for local anesthesia, 87-88
- Yeast infection, urologic, 206-208
- Yohimbine, for diabetes-related impotence, 787
- Zinc, in diabetics, 698, 885-886